

MED-359 @ 0.65 cSt



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date:
31/03/2017

Date of issue:
01/08/2014

Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Form : Substance
Product Name : MED-359 @ 0.65 cSt
CAS-No. : 107-46-0
Synonyms : Silicone Fluid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Ideal for providing lubricious and/or hydrophobic coating.
For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC
1050 Cindy Lane
Carpinteria, California 93013
USA
(805) 684-8780
ehs@nusil.com
www.nusil.com

1.4. Emergency telephone number

Emergency number : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 : H225
Aquatic Acute 1 : H400
Aquatic Chronic 2 : H411

Full text of hazard classes and H-statements : see section 1.6

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements : P210 - Keep away from heat, hot surfaces, sparks, open flames

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(CLP)

and other ignition sources. No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical, lighting, ventilating equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P273 - Avoid release to the environment
P280 - Wear protective gloves, protective clothing, eye protection
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P370+P378 - In case of fire: Use carbon dioxide (CO₂), sand, nitrogen to extinguish
P391 - Collect spillage
P403+P235 - Store in a well-ventilated place. Keep cool
P501 - Dispose of contents/container in accordance with local, regional, national, and international

2.3. Other Hazards

Other hazards not contributing to the classification : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexamethyldisiloxane	(CAS-No.) 107-46-0 (EC-No.) 203-492-7	100	Flam. Liq. 2, H225 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : Prolonged exposure may cause irritation.

Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.

Symptoms/effects after eye contact : May cause slight irritation to eyes.

Symptoms/effects after ingestion : Ingestion may cause adverse effects.

Chronic symptoms : None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water may be ineffective but water should be used to keep fire-exposed container cool.

Unsuitable extinguishing media : Do not use a heavy water stream. A heavy water stream may spread burning liquid.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable or explosive vapour-air mixture.

Reactivity : Reacts violently with strong oxidisers. Increased risk of fire or explosion.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.

Firefighting instructions : Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid breathing (vapour, mist, spray). Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.
- Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapours, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.
- Storage conditions : Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.
- Incompatible products : Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

Ideal for providing lubricious and/or hydrophobic coating. For professional use only.

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

Personal protective equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing

: Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

Hand protection

: Wear protective gloves.

Eye protection

: Chemical safety goggles.

Skin and body protection

: Wear suitable protective clothing.

Respiratory protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless
Odour	: Characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 100 °C (212 °F)
Flash point	: -1 °C (30 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative Density	: < 1 (Water = 1)
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : < 1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

10.2. Chemical stability

Extremely flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Hexamethyldisiloxane (107-46-0)	
LD50 oral rat	> 5000 mg/kg
LC50 inhalation rat (ppm)	15956 ppm/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hexamethyldisiloxane (107-46-0)

LC50 fish 1	3,02 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
-------------	---

12.2. Persistence and degradability

MED-359 @ 0.65 cSt (107-46-0)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

MED-359 @ 0.65 cSt (107-46-0)

Bioaccumulative potential	Not established.
---------------------------	------------------

Hexamethyldisiloxane (107-46-0)

BCF fish 1	1300
------------	------

Log Pow	4,2
---------	-----

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1993

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.

Transport document description (ADR) : UN 1993 FLAMMABLE LIQUID, N.O.S. (HEXAMETHYLDISILOXANE), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

Class (ADR) : 3

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Danger labels (ADR) : 3



14.4. Packing group

Packing group (ADR) : II

14.5. Environmental hazards

Dangerous for the environment
Marine pollutant



Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number : 33
(Kemler No.)
Classification code (ADR) : F1
Orange plates



Special provisions (ADR) : 274
Transport category (ADR) : 1
Tunnel restriction code (ADR) : D/E
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E3
EAC code : •3YE

14.6.2. Transport by sea

MFAG-No : 127;128

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

MED-359 @ 0.65 cSt is not on the REACH Candidate List
MED-359 @ 0.65 cSt is not on the REACH Annex XIV List
VOC content : < 1 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Indication of changes:

Section	Section Header	Change	Date Changed
1	Identification of the substance/mixture and of the company/undertaking	Modified	02/09/2015
2	Hazards identification	Removed DSD/DPD information.	02/09/2015
3	Composition/information on ingredients	Removed DSD/DPD information.	02/09/2015
15.1.1	EU-Regulations	Modified	02/09/2015
3	Composition/information on ingredients	Formatting change	09/09/2015
2	Hazards identification	Updated classification	31/03/2017
4	First aid measures	Modified	31/03/2017
5	Firefighting measures	Modified	31/03/2017
6	Accidental release measures	Modified	31/03/2017
7	Handling and storage	Modified	31/03/2017
9	Physical and chemical properties	Added boiling point. Updated VOC content	31/03/2017
10	Stability and reactivity	Modified	31/03/2017
13	Disposal considerations	Modified	31/03/2017
14	Transport information	Updated classification	31/03/2017
15	Regulatory information	Updated VOC content	31/03/2017

Date of Preparation or Latest Revision : 31/03/2017

Revision

Data sources : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other information : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists

MARPOL - International Convention for the Prevention of Pollution

MED-359 @ 0.65 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways	NDS - Najwyższe Dopuszczalne Stezenie
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road	NDSch - Najwyższe Dopuszczalne Stezenie Chwilowe
ATE - Acute Toxicity Estimate	NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe
BCF - Bioconcentration Factor	NOAEL - No-Observed Adverse Effect Level
BEI - Biological Exposure Indices (BEI)	NOEC - No-Observed Effect Concentration
BOD – Biochemical Oxygen Demand	NRD - Nevirsyftinas Ribinis Dydis
CAS No. - Chemical Abstracts Service Number	NTP – National Toxicology Program
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008	OEL - Occupational Exposure Limits
COD – Chemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
EC – European Community	PEL - Permissible Exposure Limit
EC50 - Median Effective Concentration	pH – Potential Hydrogen
EEC – European Economic Community	REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
EINECS – European Inventory of Existing Commercial Chemical Substances	RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail
EmS-No. (Fire) - IMDG Emergency Schedule Fire	SADT - Self Accelerating Decomposition Temperature
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	SDS - Safety Data Sheet
EU – European Union	STEL - Short Term Exposure Limit
ErC50 - EC50 in Terms of Reduction Growth Rate	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
GHS – Globally Harmonized System of Classification and Labeling of Chemicals	TEL TRK – Technical Guidance Concentrations
IARC - International Agency for Research on Cancer	ThOD – Theoretical Oxygen Demand
IATA - International Air Transport Association	TLM - Median Tolerance Limit
IBC Code - International Bulk Chemical Code	TLV - Threshold Limit Value
IMDG - International Maritime Dangerous Goods	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern
IOELV – Indicative Occupational Exposure Limit Value	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
LC50 - Median Lethal Concentration	TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte
LD50 - Median Lethal Dose	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water	VLA-ED - Valor Límite Ambiental Exposición Diaria
MAK – Maximum Workplace Concentration/Maximum Permissible Concentration	VLE – Valeur Limite D'exposition
	VME – Valeur Limite De Moyenne Exposition
	vPvB - Very Persistent and Very Bioaccumulative
	WEL – Workplace Exposure Limit
	WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Nusil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Polymer Systems Technology Limited



An Avantor brand

Silicone Sales & Services UK - Ireland - Benelux

© 2018 - Polymer Systems Technology Limited™
Unit 2. Network 4. Cressex Business Park,
Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: <https://www.silicone-polymers.com>

email: sales@silicone-polymers.co.uk

