

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product form : Mixture
Product name : MED-4086 Part A
Synonyms : Ultra-Soft Elastomer
Product group : Commercial product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec. : For professional use only.
Use of the substance/mixture : For potting, encapsulating, and replicating surfaces and devices
Function or use category : Healthcare Applications

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC
1050 Cindy Lane
Carpinteria, California 93013
USA
(805) 684-8780

regcomp@nusil.com

www.nusil.com

1.4. Emergency telephone number

Emergency number : 703-527-3887
CHEMTREC - Outside USA

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R36

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

MED-4086 Part A

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms :



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Poly(dimethylsiloxane)	(CAS No.) 63148-62-9 (EC no) 613-156-5	15 - 20	Eye Irrit. 2, H319
Silica, amorphous, fumed, crystalline-free substance with national workplace exposure limit(s) (AT)	(CAS No.) 112945-52-5 (EC no) 601-216-3	10 - 15	Not classified

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If medical advice is needed, have product container or label at hand.
- First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
- First-aid measures after skin contact : Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.
- First-aid measures after eye contact : Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
- First-aid measures after ingestion : Do not induce vomiting. Seek medical attention if a large amount is swallowed.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes eye irritation.
- Symptoms/injuries after inhalation : Inhalation of fumes or vapours may cause respiratory irritation.
- Symptoms/injuries after skin contact : May cause mild skin irritation.

MED-4086 Part A

Safety Data Sheet

according to Regulation (EC) No. 453/2010

- Symptoms/injuries after eye contact : Causes eye irritation.
- Symptoms/injuries after ingestion : If a large quantity has been ingested : Gastrointestinal irritation.
- Chronic symptoms : Repeated or prolonged skin contact may cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Not considered flammable but will burn at high temperatures.
For large fire : Alcohol-resistant foam. Universal-type foam.
For small fire : Water spray. Carbon dioxide. Dry chemical.
- Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. Water or foam may cause frothing.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not considered flammable but will burn at high temperatures. Under conditions of fire this material may produce: Carbon oxides (CO, CO₂). Silicon oxides. Low molecular weight hydrocarbon fragments. Formaldehyde.
- Explosion hazard : Product is not explosive.
- Reactivity : Stable at ambient temperature and under normal conditions of use.

5.3. Advice for firefighters

- Firefighting instructions : Do not breathe fumes from fires or vapours from decomposition. Exercise caution when fighting any chemical fire.
- Protection during firefighting : Use normal individual fire protective equipment. Use self-contained breathing apparatus when fighting fire in an enclosed area.
- Other information : Do not use a solid water stream as it may scatter and spread fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.
- Emergency procedures : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.
- Emergency procedures : If possible, stop flow of product. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.2. Environmental precautions

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb and/or contain spill with inert material, then place in suitable container.

MED-4086 Part A

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Collect absorbed material and place into a sealed, labelled container for proper disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : When heated, material emits irritating fumes. Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.

Precautions for safe handling : Use appropriate personal protective equipment when handling and observe good personal hygiene measures after handling. Avoid contact with skin and eyes. Do not breathe vapours.

Hygiene measures : Always wash your hands immediately after handling this product, and once again before leaving the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool place. Keep container tightly closed. Store in original container.

Incompatible materials : Reacts with (strong) oxidizers.

Storage area : Store away from heat.

Special rules on packaging : Keep container closed when not in use.

7.3. Specific end use(s)

For potting, encapsulating, and replicating surfaces and devices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silica, amorphous, fumed, crystalline-free (112945-52-5)		
Austria	MAK (mg/m ³)	4 mg/m ³

8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas.

Personal protective equipment : Gloves. Safety glasses.



Hand protection : Polyvinylchloride (PVC) protective gloves.

Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing. Wash contaminated clothing before reuse.

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

MED-4086 Part A

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear; Viscous; Silicone gel
Colour	: Colourless
Odour	: Odourless
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 135 °C (Cleveland Open Cup)
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.1
Solubility	: Water: Insoluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity	: 8300 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Stable at standard temperature and pressure.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours.

10.5. Incompatible materials

Avoid strong oxidizers.

MED-4086 Part A

Safety Data Sheet

according to Regulation (EC) No. 453/2010

10.6. Hazardous decomposition products

Under conditions of fire this material may produce: Carbon oxides (CO, CO₂). Silicon oxides. Low molecular weight hydrocarbon fragments. Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Silica, amorphous, fumed, crystalline-free (112945-52-5)	
LD50 oral rat	3160 mg/kg

Poly(dimethylsiloxane) (63148-62-9)	
LD50 oral rat	> 17 g/kg
LD50 dermal rabbit	> 2 g/kg

Irritation : Causes serious eye irritation.

Corrosivity : Not classified

Sensitisation : Not classified

Repeated dose toxicity : Not classified

Carcinogenicity : Not classified

Mutagenicity : Not classified

Toxicity for reproduction : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not empty into drains; dispose of this material and its container in a safe way.

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

MED-4086 Part A

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

No dangerous good in sense of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Authorisations and/or restrictions on use (Annex XVII):

3. Liquid substances or mixtures, which are regarded as dangerous according to the definitions in Council Directive 67/548/EEC and Directive 1999/45/EC.	MED-4086 Part A - Poly(dimethylsiloxane)
--	--

Contains no REACH candidate substance

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation Category 2
H319	Causes serious eye irritation
R36	Irritating to eyes.
Xi	Irritant

MED-4086 Part A

Safety Data Sheet

according to Regulation (EC) No. 453/2010

We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of NuSil Technology, it is the user's obligation to determine the conditions of safe use of the product.

SDS EU (REACH Annex II)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product form : Mixture
Product name : MED-4086 Part B
Synonyms : Ultra-Soft Elastomer
Product group : Commercial product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec. : For professional use only.
Use of the substance/mixture : For potting, encapsulating, and replicating surfaces and devices
Function or use category : Healthcare Applications

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC
1050 Cindy Lane
Carpinteria, California 93013
USA
(805) 684-8780

regcomp@nusil.com

www.nusil.com

1.4. Emergency telephone number

Emergency number : 703-527-3887
CHEMTREC - Outside USA

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315
Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R36/38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

MED-4086 Part B

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation
H319 - Causes serious eye irritation

Precautionary statements (CLP) :

P264 - Wash hands thoroughly after handling
P280 - Wear eye protection, protective gloves, protective clothing
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362 - Take off contaminated clothing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dimethylhydropolysiloxane	(CAS No.) 68037-59-2	10 - 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Poly(dimethylsiloxane)	(CAS No.) 63148-62-9 (EC no) 613-156-5	10 - 15	Eye Irrit. 2, H319
Silica, amorphous, fumed, crystalline-free substance with national workplace exposure limit(s) (AT)	(CAS No.) 112945-52-5 (EC no) 601-216-3	5 - 10	Not classified
Cyclosiloxanes, methyl vinyl	(CAS No.) 68082-23-5	< 1	Not classified

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact : Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

MED-4086 Part B

Safety Data Sheet

according to Regulation (EC) No. 453/2010

First-aid measures after eye contact : Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-aid measures after ingestion : Do not induce vomiting. Seek medical attention if a large amount is swallowed.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes eye irritation.
Symptoms/injuries after inhalation : Inhalation of fumes or vapours may cause respiratory irritation.
Symptoms/injuries after skin contact : May cause mild skin irritation.
Symptoms/injuries after eye contact : Causes eye irritation.
Symptoms/injuries after ingestion : If a large quantity has been ingested : Gastrointestinal irritation.
Chronic symptoms : Repeated or prolonged skin contact may cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Not considered flammable but will burn at high temperatures.
For large fire : Alcohol-resistant foam. Universal-type foam.
For small fire : Water spray. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. Water or foam may cause frothing.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but will burn at high temperatures. . Under conditions of fire this material may produce: Carbon oxides (CO, CO₂). Silicon oxides. Low molecular weight hydrocarbon fragments. Formaldehyde.
Explosion hazard : Product is not explosive.
Reactivity : Stable at ambient temperature and under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions : Do not breathe fumes from fires or vapours from decomposition. Exercise caution when fighting any chemical fire.
Protection during firefighting : Use normal individual fire protective equipment. Use self-contained breathing apparatus when fighting fire in an enclosed area.
Other information : Do not use a solid water stream as it may scatter and spread fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.
Emergency procedures : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

MED-4086 Part B

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.
- Emergency procedures : If possible, stop flow of product. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.2. Environmental precautions

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb and/or contain spill with inert material, then place in suitable container.
- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Collect absorbed material and place into a sealed, labelled container for proper disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : When heated, material emits irritating fumes. Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.
- Precautions for safe handling : Use appropriate personal protective equipment when handling and observe good personal hygiene measures after handling. Avoid contact with skin and eyes. Do not breathe vapours.
- Hygiene measures : Always wash your hands immediately after handling this product, and once again before leaving the workplace.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a dry, cool place. Keep container tightly closed. Store in original container.
- Incompatible materials : Reacts with (strong) oxidizers.
- Storage area : Store away from heat.
- Special rules on packaging : Keep container closed when not in use.

7.3. Specific end use(s)

For potting, encapsulating, and replicating surfaces and devices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silica, amorphous, fumed, crystalline-free (112945-52-5)		
Austria	MAK (mg/m ³)	4 mg/m ³

8.2. Exposure controls

- Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas.
- Personal protective equipment : Gloves. Safety glasses.



MED-4086 Part B

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hand protection	: Polyvinylchloride (PVC) protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing. Wash contaminated clothing before reuse.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection.
Environmental exposure controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear; Viscous; Silicone Gel
Colour	: Colourless
Odour	: Odourless
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 135 °C (Cleveland Open Cup)
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.1
Solubility	: Water: Insoluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity	: 4600 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Stable at standard temperature and pressure.

MED-4086 Part B

Safety Data Sheet

according to Regulation (EC) No. 453/2010

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours.

10.5. Incompatible materials

Avoid strong oxidizers.

10.6. Hazardous decomposition products

Under conditions of fire this material may produce: Carbon oxides (CO, CO₂). Silicon oxides. Low molecular weight hydrocarbon fragments. Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Silica, amorphous, fumed, crystalline-free (112945-52-5)	
LD50 oral rat	3160 mg/kg

Poly(dimethylsiloxane) (63148-62-9)	
LD50 oral rat	> 17 g/kg
LD50 dermal rabbit	> 2 g/kg

Irritation : Causes serious eye irritation. Causes skin irritation.

Corrosivity : Not classified

Sensitisation : Not classified

Repeated dose toxicity : Not classified

Carcinogenicity : Not classified

Mutagenicity : Not classified

Toxicity for reproduction : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

MED-4086 Part B

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not empty into drains; dispose of this material and its container in a safe way.

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

No dangerous good in sense of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Authorisations and/or restrictions on use (Annex XVII):

3. Liquid substances or mixtures, which are regarded as dangerous according to the definitions in Council Directive 67/548/EEC and Directive 1999/45/EC.
--

MED-4086 Part A - Poly(dimethylsiloxane)
--

Contains no REACH candidate substance

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

MED-4086 Part B

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
Xi	Irritant

SDS EU (REACH Annex II)

We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of NuSil Technology, it is the user's obligation to determine the conditions of safe use of the product.



Polymer Systems *Technology Limited*

Silicone Sales & Services UK - Ireland - Benelux

© 2020 - **Polymer Systems Technology Limited™**

Unit 2. Network 4. Cressex Business Park,
Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: <https://www.silicone-polymers.com>

email: sales@silicone-polymers.co.uk

